






Jiangsu Shixin Landscape Lighting Co., Ltd

Web:<http://m.en.jssxzm.cn>

Address: Gongyuan International Building, No. 56, Wenchang West road, Yangzhou, Jiangsu, China

Quotation on 80W LED Solar Street Light

NO.	Item	Parameter	Description	Picture	Unit Price (EXW USD)
1	Solar Panel	200W	<ul style="list-style-type: none"> ·Polysilicon solar panel ·Maximum power at STC: 200W/PCS ·Power tolerance: ±5% ·Working temperature: -40°C to 85°C ·Panel dimension: 1580×808×35×30mm ·Working life ≥ 20 years ·Warranty: 5 years 		US\$57.30
2	Led Lamp	80W	<ul style="list-style-type: none"> ·Model: 80W LED LAMP ·Power Factor:0.98 ·Efficiency:120lm/w ·Lumen:9600lm ·Surge protection:4/4 ·Temperature Rating:-40°C ~ +55°C ·Protection: IP65 ·Chip: Bridgelux ·TC:3000-6500K ·Working life:≥ 50000 hours ·High efficiency led lamp ·Aluminum model led lamp shell ·Warranty: 5 years ·Lamp dimension: 610*260*62mm 		US\$22.60
3	Battery	12V 160AH(2*80AH)	<ul style="list-style-type: none"> ·Gel lead acid storage battery ·Nber of cycles at 80% of discharging:600 ·Nber of cycles at 30% of discharging:1800 ·Work TM: -35°C to 60°C ·Working life ≥ 10 years ·Warranty:5 years 		US\$150.20
4	Battery Box	SX-XDCX	<ul style="list-style-type: none"> ·Plastic box waterproof ·Excellent performance in heat preservation ·Service life ≥20years The product contains clamp, stainless steel screws, hose, sealing ring ·Warranty:20 years 		US\$8.00

5	Wind Turbine	500W	<ul style="list-style-type: none"> ·500W high efficiency wind turbine ·Start-up air speed: 2.0 m/s, rated wind speed: 10 m/s ·Safety wind speed: 45m/s ·With 6 leaf installation the three screws, easy installation 		US\$129.40
5	Controller	12/24V 15A	<ul style="list-style-type: none"> ·Overheating ·Over discharging ·Automatic light and time control ·Over charging·Load overload ·Load short circuit ·PV reverse polarity ·Battery reverse polarity ·Warranty: 5 years 		US\$16.70
6	Light Pole	8M	<ul style="list-style-type: none"> ·Material: Steel ·Height: 8m ·Diameter: 75-175mm, 3.75mm thickness ·With 0.6m single arm ·Flange: 320*320*16mm ·Hot deep galvanized and powder coating ·Working life ≥25 years ·With solar bracket ·With 4*M18*600MM anchor bolts and cable connection box ·With accessories including bolts, nuts and fasteners ·For wind: 45M/S ·Warranty 25years 		US\$176.00
EXW Price in one set					US\$560.20

Remark:
1.120 sets in one 40'HC
2.Certifications: ISO9001 CE RoHS for quality control.
3.Payment: TT(30% deposit and balance before shipment.)
4.Five years quality guarantee
5.This quotation keeps open for 15 days.



